

ISSN 2518-1467 (Online),
ISSN 1991-3494 (Print)

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ

Х А Б А Р Ш Ы С Ы

ВЕСТНИК

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК
РЕСПУБЛИКИ КАЗАХСТАН

THE BULLETIN

THE NATIONAL ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN

PUBLISHED SINCE 1944

3

MAY – JUNE 2021

ALMATY, NAS RK

NAS RK is pleased to announce that Bulletin of NAS RK scientific journal has been accepted for indexing in the Emerging Sources Citation Index, a new edition of Web of Science. Content in this index is under consideration by Clarivate Analytics to be accepted in the Science Citation Index Expanded, the Social Sciences Citation Index, and the Arts & Humanities Citation Index. The quality and depth of content Web of Science offers to researchers, authors, publishers, and institutions sets it apart from other research databases. The inclusion of Bulletin of NAS RK in the Emerging Sources Citation Index demonstrates our dedication to providing the most relevant and influential multidiscipline content to our community.

Қазақстан Республикасы Ұлттық ғылым академиясы «ҚР ҰҒА Хабаршысы» ғылыми журналаның Web of Science-тің жаңаланған нұсқасы Emerging Sources Citation Index-те индекстелуге қабылданғанын хабарлайды. Бұл индекстегі барысында Clarivate Analytics компаниясы журналды одан әрі the Science Citation Index Expanded, the Social Sciences Citation Index және the Arts & Humanities Citation Index-ке қабылдау мәселесін қарастыруды. Web of Science зерттеушілер, авторлар, баспашилар мен мекемелерге контент тереңдігі мен сапасын ұсынады. ҚР ҰҒА Хабаршысының Emerging Sources Citation Index-ке енүі біздің қоғамдастық үшін ең өзекті және беделді мультидисциплинарлы контентке адалдығымызды білдіреді.

НАН РК сообщает, что научный журнал «Вестник НАН РК» был принят для индексирования в Emerging Sources CitationIndex, обновленной версии Web of Science. Содержание в этом индексировании находится в стадии рассмотрения компанией Clarivate Analytics для дальнейшего принятия журнала в the Science Citation Index Expanded, the Social Sciences Citation Index и the Arts & Humanities Citation Index. Web of Science предлагает качество и глубину контента для исследователей, авторов, издателей и учреждений. Включение Вестника НАН РК в Emerging Sources Citation Index демонстрирует нашу приверженность к наиболее актуальному и влиятельному мультидисциплинарному контенту для нашего сообщества.

Бас редактор:

ҚОЙГЕЛДИЕВ Мәмбет Құлжабайұлы (бас редактор), тарих ғылымдарының докторы, профессор, ҚР ҰҒА академигі (Алматы, Қазақстан) Н = 3

Редакция алқасы:

ОМАРОВ Бауыржан Жұмаханұлы (бас редактордың орынбасары), филология ғылымдарының докторы, профессор, ҚР ҰҒА академигі (Нұр-Сұлтан, Қазақстан) Н = 4

МАТЫЖАНОВ Кенжехан Слямжанұлы (бас редактордың орынбасары), филология ғылымдарының докторы, профессор, ҚР ҰҒА корреспондент мүшесі (Алматы, Қазақстан) Н = 1

САПАРБАЕВ Әбдіжапар Жұманұлы, экономика ғылымдарының докторы, профессор, ҚР ҰҒА құрметті мүшесі, Халықаралық инновациялық технологиялар академиясының президенті (Алматы, Қазақстан) Н = 4

ЙОВИЦА Раду Патетре, Ph.D (археология), Нью-Йорк университетінің профессоры (Нью-Йорк, АҚШ) Н = 19

БАНАС Йозеф, әлеуметтану ғылымдарының докторы, Жешув технологиялық университетінің профессоры (Жешув, Польша) Н = 26

ЛУКЬЯНЕНКО Ирина Григорьевна, экономика ғылымдарының докторы, профессор, Украинаның еңбек сіңірген ғылым және техника қайраткері, «Киев-Мохила академиясы» ұлттық университетінің кафедра мендерушісі (Киев, Украина) Н = 2

МАКУЛОВА Айымжан Төлегенқызы, экономика ғылымдарының докторы, профессор, Нархоз Университеті (Алматы, Қазақстан) Н = 3

ИСМАҒҰЛОВ Оразақ Исмагұлұлы, тарих ғылымдарының докторы, профессор, ҚР ҰҒА академигі (Нұр-Сұлтан, Қазақстан) Н = 6

ӘБЖАНОВ Ханкелді Махмұтұлы, тарих ғылымдарының докторы, профессор, ҚР ҰҒА академигі (Алматы, Қазақстан) Н = 4

БИЖАНОВ Ахан Ҳұсайынұлы, саясаттану ғылымдарының докторы, ҚР ҰҒА корреспондент-мүшесі, Философия, саясаттану және дінттану институтының директоры (Алматы, Қазақстан) Н = 1

ТАЙМАҒАМБЕТОВ Жакен Қожақметұлы, тарих ғылымдарының докторы, профессор, ҚР ҰҒА академигі (Алматы, Қазақстан) Н = 4

СҮЛЕЙМЕНОВ Майдан Құнтуарұлы, заң ғылымдарының докторы, профессор, ҚР ҰҒА академигі (Алматы, Қазақстан) Н = 1

САБИКЕНОВ Салахиден Нұрсарыұлы, заң ғылымдарының докторы, профессор, ҚР ҰҒА академигі (Алматы, Қазақстан) Н = 2

ҚОЖАМЖАРОВА Дариякул Пернешқызы, тарих ғылымдарының докторы, профессор, ҚР ҰҒА академигі (Алматы, Қазақстан) Н = 2

БАЙТАНАЕВ Бауыржан Әбішұлы, тарих ғылымдарының докторы, ҚР ҰҒА академигі (Алматы, Қазақстан) Н = 1

БАЗАРБАЕВА Зейнеп Мұслімқызы, филология ғылымдарының докторы, профессор, ҚР ҰҒА академигі (Алматы, Қазақстан) Н = 1

ШАУКЕНОВА Зарема Каукенқызы, әлеуметтану ғылымдарының докторы, профессор, ҚР ҰҒА академигі (Алматы, Қазақстан) Н = 1

ЖОЛДАСБЕКОВА Баян Өмірбекқызы, филология ғылымдарының докторы, профессор, ҚР ҰҒА корреспондент мүшесі (Алматы, Қазақстан) Н = 2

НУРҚАТОВА Ляззат Төлегенқызы, әлеуметтану ғылымдарының докторы, профессор, ҚР ҰҒА корреспондент мүшесі (Алматы, Қазақстан) Н = 1

«Қазақстан Республикасы Ұлттық ғылым академиясының Хабаршысы».

ISSN 2518-1467 (Online),

ISSN 1991-3494 (Print).

Меншіктенуші: «Қазақстан Республикасының Ұлттық ғылым академиясы» РКБ (Алматы қ.).

Қазақстан Республикасының Ақпарат және коммуникациялар министрлігінің Ақпарат комитетінде 12.02.2018 ж. берілген № 16895-Ж мерзімдік басылым тіркеуіне қойылу туралы куәлік.

Тақырыптық бағыты: *іргелі ғылымдар саласындағы жаңа жетістіктер нәтижелерін жария ету*.

Мерзімділігі: жылына 6 рет.

Тиражы: 300 дана.

Редакцияның мекен-жайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., тел.: 272-13-19, 272-13-18
<http://www.bulletin-science.kz/index.php/en/>

© Қазақстан Республикасының Ұлттық ғылым академиясы, 2021

Типографияның мекен-жайы: «Аруна» ЖК, Алматы қ., Мурагбаева көш., 75.

Главный редактор:

КОЙГЕЛЬДИЕВ Мамбет Кулжабаевич (главный редактор), доктор исторических наук, профессор, академик НАН РК (Алматы, Казахстан) Н = 3

Редакционная коллегия:

ОМАРОВ Бауыржан Жумаханулы (заместитель главного редактора), доктор филологических наук, профессор, академик НАН РК (Нур-Султан, Казахстан) Н = 4

МАТЫЖАНОВ Кенжекан Слямжанович (заместитель главного редактора), доктор филологических наук, профессор, член-корреспондент НАН РК (Алматы, Казахстан) Н = 1

САПАРБАЕВ Абдижапар Джуманович, доктор экономических наук, профессор, почетный член НАН РК, президент Международной академии инновационных технологий (Алматы, Казахстан) Н = 4

ЙОВИЦА Раду Пэтрэ, доктор философии (Ph.D, археология), профессор Нью-Йоркского университета (Нью-Йорк, США) Н = 19

БАНАС Йозеф, доктор социологических наук, профессор Жешувского технологического университета (Жешув, Польша) Н = 26

ЛУКЬЯНЕНКО Ирина Григорьевна, доктор экономических наук, профессор, заслуженный деятель науки и техники Украины, заведующая кафедрой Национального университета «Киево-Могилянская академия» (Киев, Украина) Н = 2

МАКУЛОВА Айымжан Тулегеновна, доктор экономических наук, профессор, Университет Нархоз (Алматы, Казахстан) Н = 3

ИСМАГУЛОВ Оразак Исмагулович, доктор исторических наук, профессор, академик НАН РК (Нур-Султан, Казахстан) Н = 6

АБЖАНОВ Ханкелди Махмутович, доктор исторических наук, профессор, академик НАН РК (Алматы, Казахстан) Н = 4

БИЖАНОВ Ахан Хусаинович, доктор политических наук, член-корреспондент НАН РК, директор Института философии, политологии и религии (Алматы, Казахстан) Н = 1

ТАЙМАГАМБЕТОВ Жакен Кожахметович, доктор исторических наук, профессор, академик НАН РК (Алматы, Казахстан) Н = 4

СУЛЕЙМЕНОВ Майдан Кунтуарович, доктор юридических наук, профессор, академик НАН РК (Алматы, Казахстан) Н = 1

САБИКЕНОВ Салахиден Нурсариевич, доктор юридических наук, профессор, академик НАН РК (Алматы, Казахстан) Н = 2

КОЖАМЖАРОВА Дариякуль Пернешевна, доктор исторических наук, профессор, академик НАН РК (Алматы, Казахстан) Н = 2

БАЙТАНАЕВ Бауржан Абишевич, доктор исторических наук, академик НАН РК (Алматы, Казахстан) Н = 1

БАЗАРБАЕВА Зейнеп Мұслимовна, доктор филологических наук, профессор, член-корреспондент НАН РК (Алматы, Казахстан) Н = 1

ШАУКЕНОВА Зарема Каукеновна, доктор социологических наук, профессор, академик НАН РК (Алматы, Казахстан) Н = 1

ЖОЛДАСБЕКОВА Баян Омирбековна, доктор филологических наук, профессор, член-корреспондент НАН РК (Алматы, Казахстан) Н = 2

НУРКАТОВА Ляззат Толегеновна, доктор социологических наук, профессор, член-корреспондент НАН РК (Алматы, Казахстан) Н = 1

«Вестник Национальной академии наук Республики Казахстан».

ISSN 2518-1467 (Online),

ISSN 1991-3494 (Print).

Собственник: РОО «Национальная академия наук Республики Казахстан» (г. Алматы).

Свидетельство о постановке на учет периодического печатного издания в Комитете информации Министерства информации и коммуникаций Республики Казахстан № 16895-Ж, выданное 12.02.2018 г.

Тематическая направленность: *публикация результатов новых достижений в области фундаментальных наук.*

Периодичность: 6 раз в год.

Тираж: 300 экземпляров.

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, ком. 219, тел. 272-13-19, 272-13-18

<http://www.bulletin-science.kz/index.php/en/>

© Национальная академия наук Республики Казахстан, 2021

Адрес типографии: ИП «Аруна», г. Алматы, ул. Муратбаева, 75.

Editor in chief:

KOIGELDIEV Mambet Kulzhabaevich (Editor-in-Chief), Doctor of History, Professor, Academician of NAS RK (Almaty, Kazakhstan) H = 3

Editorial board:

OMAROV Bauyrzhan Zhumakhanuly (Deputy Editor-in-Chief), Doctor of Philology, Professor, Academician of NAS RK (Nur-Sultan, Kazakhstan) H = 4

MATYZHANOV Kenzhekhan Slyamzhanovich (Deputy Editor-in-Chief), Doctor of Philology, Professor, Corresponding Member of NAS RK (Almaty, Kazakhstan) H = 1

SAPARBAYEV Abdizhapar Dzhumanovich, Doctor of Economics, Professor, Honorary Member of NAS RK, President of the International Academy of Innovative Technology, (Almaty, Kazakhstan) H = 4

JOVICA Radu Petre, Ph.D, History, Archeology, Professor, New York University (New York, USA) H = 19

BANAS Joseph, Doctor of Social science, Professor, Rzeszow University of Technology (Rzeszow, Poland) H = 26

LUKYANENKO Irina, doctor of economics, professor, honored worker of Science and Technology of Ukraine, head of the department of the National University «Kyiv-Mohyla Academy» (Kiev, Ukraine) H = 2

MAKULOVA Aymzhan Tulegenovna, doctor of economics, professor, Narkhoz University (Almaty, Kazakhstan) H = 3

ISSMAGULOV Orazak Issmagulovich, Doctor of Historical Sciences, Professor, Academician of NAS RK (Nur-Sultan, Kazakhstan) H = 6

ABZHANOV Khankeldi Makhmutovich, Doctor of Historical Sciences, Professor, Academician of NAS RK (Almaty, Kazakhstan) H = 4

BIZHANOV Akhan Khusainovich, Doctor of Political Sciences, Corresponding Member of NAS RK, Director of the Institute of Philosophy, Political Science and Religion (Almaty, Kazakhstan) H = 1

TAIMAGAMBETOV Zhaken Kozhakhmetovich, Doctor of Historical Sciences, Professor, Academician of NAS RK, (Almaty, Kazakhstan) H = 4

SULEYMENOV Maidan Kuntuarovich, Doctor of Law, Professor, Academician of NAS RK (Almaty, Kazakhstan) H = 1

SABIKEV Salakhiden Nursarievich, Doctor of Law, Professor, Academician of NAS RK (Almaty, Kazakhstan) H = 2

KOZHAMZHAROVA Dariyakul Perneshevna, Doctor of Historical Sciences, Professor, Academician of NAS RK (Almaty, Kazakhstan) H = 2

BAITANAEV Baurzhan Abishevich, Doctor of Historical Sciences, Academician of NAS RK (Almaty, Kazakhstan) H = 1

BAZARBAYEVA Zeinep Muslimovna, Doctor of Philology, Professor, Academician of NAS RK (Almaty, Kazakhstan) H = 1

SHAIKENOVA Zarema, Doctor of Sociology, Professor, Academician of NAS RK (Almaty, Kazakhstan) H = 1

DZHOLDASBEKOVA Bayan Umirbekovna, Doctor of Philology, Professor, Corresponding Member of NAS RK H = 2

NURKATOVA Lyazzat Tolegenovna, Doctor of Social Sciences, Professor, Corresponding Member of the National Academy of Sciences of the Republic of Kazakhstan (Almaty, Kazakhstan) H = 1

Bulletin of the National Academy of Sciences of the Republic of Kazakhstan.

ISSN 2518-1467 (Online),

ISSN 1991-3494 (Print).

Owner: RPA «National Academy of Sciences of the Republic of Kazakhstan» (Almaty).

The certificate of registration of a periodical printed publication in the Committee of information of the Ministry of Information and Communications of the Republic of Kazakhstan **No. 16895-Ж**, issued on 12.02.2018.

Thematic focus: *publication of the results of new achievements in the field of basic sciences.*

Periodicity: 6 times a year.

Circulation: 300 copies.

Editorial address: 28, Shevchenko str., of. 220, Almaty, 050010, tel. 272-13-19, 272-13-18
<http://www.bulletin-science.kz/index.php/en/>

© National Academy of Sciences of the Republic of Kazakhstan, 2021

Address of printing house: ST «Aruna», 75, Muratbayev str, Almaty.

UDC 619:618.19-022.6:578.828.4:636.8

G.P. Dulger¹, P.G. Dulger¹, O. Alikhanov², E.S. Latynina¹, D.A. Baimukanov^{3,4}

¹Russian State Agrarian University Moscow Agricultural Academy named after K.A. Timiryazev, Moscow, Russia;

²M. Auezov South Kazakhstan State University, Shymkent, Kazakhstan;

³Kazakh Scientific Research Institute of Animal Breeding and Fodder Production, Almaty, Kazakhstan;

⁴Kazakh National Agrarian University, Almaty, Kazakhstan

E mail: dulger@rgau-msha.ru

MODERN METHODS OF DIAGNOSIS OF MAMMARY TUMOR AND TUMOR-LIKE LESIONS IN CATS

Abstract: The paper provides an overview of the classification and diagnosis of feline mammary tumors (FMT) in cats. The clinical stage of neoplastic process is one of the driving prognostic factors. In accordance with the WHO recommendations 1980, it is determined by the TNM system: the size of neoplasm, the state of regional lymph nodes and the presence/absence of distant metastases.

The clinical stage of the disease is defined based on the obtained data during the examination, surgery and study of the postoperative material (excised tumor, the edges of the resection and regional lymph nodes).

It was found that tumors larger than 3 cm have a significantly worse prognosis than tumors smaller than 3 cm.

The median survival with a tumor size of less than 3 cm is 1.75 times greater (21 months versus 12 months) than with a tumor size of more than 3 cm. The most significant morphological prognostic factor is the histological type of malignant tumor and the histological gradation of tumor tissue. Among carcinomas, the most invasive are micropapillary, solid and cribriform carcinomas, the most unaggressive is carcinoma in situ.

Adverse prognostic factors of mammary cancer in cats are a high Ki67 index of proliferative activity, hyperexpression of Her-2 epidermal growth factor, cyclooxygenase-2, absence or low level of expression of receptors to estrogen and/or progesterone by tumor cells (less than 10%), as well as a high level of expression by tumor cells of VEGF (vascular endothelial growth factor).

Key words: cats, mammary glands, pathology, feline mammary tumors (FMT), mammary cancer (MC), diagnosis, prognostic factors

Introduction. The analysis of domestic and foreign literature shows that feline mammary tumors (FMTs) are the 3rd most common oncological pathology in cats. The incidence rate is significantly influenced by gender, age, breed, ovarian status, application of progestin-based contraceptives [1].

FMTs represent a group of neoplasms that is heterogeneous in terms of tissue belonging, histological structure and biological behavior. Malignant tumors occur most frequently and compose from 80 to 96% of all tumors and tumor-like lesions of mammary glands. Mammary cancer (MC) prevails, accounting for 91.4% of all cases of malignant tumors. Invasive mammary cancer is much more common than carcinoma in situ. Among histological types of mammary cancer, cribriform, solid, and tubulopapillary carcinomas prevail; mucinous, tubular, and papillary carcinomas are less common.

Research methods. The work is of analytical nature. It is based on the study and analysis of

domestic and foreign literature on the diagnosis and differential diagnostic procedure of tumor and tumor-like lesions of the mammary glands in cats. Materials on the impact of the clinical stage of the neoplastic process, the histological type of tumor, the histological gradation of tumor tissue, as well as the histochemical features of tumor cells on the curability and outcome of invasive forms of mammary cancer were analyzed and summarized.

Research results. Diagnosis of mammary tumor and tumor-like lesions is based on anamnesis data (breed, sex and age, reproductive status, taking drugs with progestogenic and/or estrogenic properties, symptoms and duration of disease, etc.), the results of examination and palpation of the mammary gland and regional lymph nodes, X-ray and ultrasound examinations of the thoracic and abdominal organs, cytological analysis of the punctate of the primary node and enlarged lymph nodes, tissue smears from the declared surface of the primary tumor; cytology of pleural and/or peritoneal exudate (with hydrothorax

and ascites, respectively). Postoperative histological verification of tumor is mandatory, since the results on the nature of the neoplastic process according to biopsy data are often insufficient or erroneous [2].

Digital radiography (DR) and ultrasound investigation (US) play a key role in the diagnosis of metastatic lesions of the thoracic and abdominal organs [3, 4]. The efficiency of visualization of metastatic lesions depends on the magnitude of the pathological process.

When the size of a metastatic tumor is 0.5–1 cm or less, the DR and US sensitivity is low [5]. Recently, computed tomography (CT) has been used to visualize metastatic tumors in thoracic organs. CT allows more clearly determination of the localization, size, and shape of a secondary metastatic tumor, the extent of its spread to the pleura, diaphragm, ribs, blade or thoracic vertebrae [4].

Histopathological studies are the gold standard for the diagnosis and differential diagnosis of mammary tumors and tumor-like lesions [6, 7]. They make it possible to define not only the tumor histotype, but also to carry out the histological grading of carcinoma invasive forms.

With no treatment, the survival rate of sick cats with malignant mammary tumors is approximately 12 months [3, 7, 8, 9]. The death of animals is mainly associated with the progressive growth and destruction of the primary malignant tumor, cancerous cachexia, metastases and/or concomitant pathology [8]. The prognosis of the life of sick with malignant mammary tumors is determined by many factors, among which the tumor size and histotype, the presence of regional and distant metastases, the age and general health of the sick cat, the presence and degree of curability of concomitant pathology.

The clinical stage of neoplastic process is one of the driving prognostic factors. In accordance with the WHO recommendations 1980, it is determined by the TNM system: the size of neoplasm, the state of regional lymph nodes and the presence/absence of distant metastases (table 1).

The clinical stage of the disease is defined based on the obtained data during the examination, surgery and studies of the postoperative material (excised tumor, the edges of the resection and regional lymph nodes).

It was found that tumors larger than 3 cm have a significantly worse prognosis than tumors smaller than 3 cm.

The median of age in postoperative survival rate with a tumor size of less than 3 cm is 1.75 times greater (21 months versus 12 months) than with a tumor size of more than 3 cm [12]. S.W. Millis et al [13] report that when the tumor size is less than 2 cm, the median survival is 16 months, with a size from 2 to 3 cm - 14 months, more than 3 cm - 11 months. According to other sources [8], regardless of the volume of surgical intervention, the median of age with a tumor volume (adenocarcinoma) from 1

cm³ to 8 cm³ is 54 months, from 9 cm³ to 27 cm³ - 24 months, more than 28 cm³ - only 6 months. A significant worsening of the survival rate of sick cats with an increase in tumor size was also traced in the works of a number of other authors. [9, 14, 15].

The presence of metastases in regional lymph nodes is an aggravating prognostic factor. The median survival of sick cats with feline mammary cancer is 5-9 months in the presence of metastases in regional lymph nodes and 13-16 months without them [3, 13].

The median survival of sick also clearly depends on the localization of metastases. With localization of metastases in regional lymph nodes, it is 1543 days, in the lungs and pleura - 332 and 188 days, respectively [16].

Table 1 - Classification of the stages of the mammary tumor process in cats according to the TNM system [10, 11]

Stage	Tumor size	Conditions of regional lymph nodes	Metastases
1	T1	N0	M0
2	T2	N0	M0
	T1,2	N1 (+)	M0
	T3	N0 or N1 (+)	M0
	All T options	All T options	M1

Notes: T1 – tumor no more than 2 cm in the largest diameter; T2 – tumor reaches 2... 3 cm in the largest diameter; T3 – tumor more than 3 cm in the largest diameter; N0 – metastases in regional lymph nodes are not detected; N1 – metastases are clinically detected in regional lymph nodes on the affected side; M0 – no signs of distant metastases; M1 – distant metastases are detected

The most significant morphological prognosis factor is the histological type of malignant tumor and the histological gradation of tumor tissue. Sarcomas and carcinosarcomas are generally more malignant than most carcinomas [9].

Among carcinomas, micropapillary, solid and cribriform carcinomas are considered the most invasive, while carcinoma in situ is the most unaggressive [17]. The biological behavior of invasive forms of carcinomas directly depends on the degree of differentiation of tumor cells. To determine the degree of their malignancy, the Nottingham system of histological gradation of invasive forms of carcinomas and their modifications is used. [13].

Following the Nottingham system, the degree of malignancy of invasive carcinoma is assessed by three signs: the degree of development of glandular structures in tumor tissue, the severity of nuclear polymorphism and the generation number. Each sign is evaluated in points from 1 to 3. The sum of the

points determines the histological degree of tumor malignancy (table 3).

Based on materials from S.W. Millis et al. [13] the median and overall survival rate (over 18 months of observation) in cats with mammary cancer (MC) with the I degree of malignancy (high differentiation of tumor tissue) is 31 months and 82%, with the II degree of malignancy (moderate differentiation of tumor tissue) - 14 months and 37%, with the III degree of malignancy (low differentiation of tumor tissue) - 8 months and 18%, respectively.

Table 3 - Histological staging of invasive carcinoma according to the Nottingham system [18, 19]

Sign	Points	Notes
Formation of glandular structures	1 2 3	The estimation of formation of glandular structures is carried out at low microscope magnification. The mammary glands should have a distinct luminal lumen around which cells with radially oriented nuclei are located.
Nuclear polymorphism	1 2 3	Nuclear polymorphism of tumor cells is assessed at high magnification (x40). The nuclei of tumor cells are compared with the nuclei of the luminal duct epithelium located in the surrounding mammary tissue.
Mitotic activity (number of mitotic figures)	1 2 3	Calculation is done at high magnification (x40). Tumor mitotic activity is defined as the number of mitotic figures found in 10 consecutive visual fields in the most proliferatively active part of the tumor. Only completely unambiguous, clearly defined mitotic figures are suitable for calculation. Hyperchromic, karyorectic, or apoptotic nuclei should not be calculated
Degree of malignancy	1 2 3	Total points 3–5 Total points 6 or 7 Total points 8 or 9

Low survival rate is also clearly associated with local invasion of tumor cells into lymphatic and blood vessels. With the signs of lymphovascular invasion in the tumor tissue, the median of age is 8 months, without it - 18 months. [13].

R. Preziosi et al. [20] recommends to divide malignant tumors of epithelial origin, according to the nature of tumor growth and the prevalence of the neoplastic process, into three groups: stage 0 (carcinoma in situ), stage I (invasive carcinoma without signs of metastasis into regional lymph nodes and/or lymphovascular invasion) and stage II (invasive carcinoma with metastases in regional lymph nodes and/or with signs of lymphovascular invasion). Using small clinical material (n=33), the authors showed that the overall survival rate according to the data of both one-factor and multifactor analyzes with an increase in the stage of oncological disease significantly worsens. Unfortunately, the 3-stage system of histological classification of malignant epithelial tumors in cats described by Italian scientists does not take into account such an important prognostic factor as the pathological tumor size.

Recently F. Chocteau et al. [21] suggested taking into account the pathological tumor size (pT1, - ≤20 mm; pT2 - >20 mm), the presence/absence of signs of lymphovascular invasion in the tumor tissue and the state of regional lymph nodes while the histological assessment of carcinomas and their gradation into non-invasive and invasive forms. In the proposed 5-stage histological classification, carcinomas are divided into stage 0 (carcinoma in situ), stage I (invasive carcinoma, pathological tumor size (pT1) ≤20 mm, nodular status negative or unknown (pN0 – pNX), signs of lymphovascular invasion not expressed (LVI-), stage II (invasive carcinoma, tumor size > 20 mm (pT2), nodal status negative or unknown (pN0 – pNX), no lymphovascular invasion (LVI-), stage IIIA (invasive carcinoma, pT ≤20 mm (pT1), nodular status positive (pN +)), severe lymphovascular invasion (LVI +) and stage IIIB (invasive carcinoma, pT > 20 mm (pT2), LVI+ and/or pN+). Using big clinical data (n=395), the authors showed that with step up in the stage, the median and overall survival rate (over 12 months of observation) and the cancer-specific survival rate significantly decrease. According to the authors' data, the median cancer-specific survival for stage 0 (n=55 or 13.92%), I (n=103 or 26.07%), II (n=56 or 14.17%) IIIA (n=83 or 21.01%) IIIB (n=98 or 24.81%) reaches 1484, 808, 377, 448 and 207 days, respectively. The authors summed up that the risks of death of sick cats with mammary cancer during the first year after diagnosis at stages I, II, IIIA and IIIB of the disease are respectively 1.78, 2.86, 3.34 and 5.24 higher than in the reference group of cats (with mammary cancer in stage 0).

The scientific literature data on the impact of age on the clinical course of mammary cancer and the disease outcome are contradictory. According to some sources [23], old age is an unfavorable prognostic factor. Along with that in the work of E.G. MacEwen et al. [8] the median survival in cats with mammary cancer under the age of 10 years and

older was almost the same and amounted to 15 and 14 months, respectively.

Several studies [8, 23] have shown that Siamese cats have a significantly worse prognosis in terms of survival rates than domestic short-wooled cats.

The histochemical characteristics of tumor also effect significantly on the survival of sick with mammary cancer. Adverse prognosis factors of MC in cats are a high Ki67 index of proliferative activity [17], hyperexpression of Her-2 epidermal growth factor [24, 25], cyclooxygenase-2 (COX-2) [31], the absence or low level of expression of receptors by tumor cells to estrogens and/or progesterone (less than 10%) [26], as well as a high level of vascular

endothelial growth factor expression by tumor cells (VEGF > 72.1%) [27].

Conclusions. For diagnosis and differential diagnosis of mammary tumor and tumor-like diseases, a determination of the cancer stage, prognosis and substantiation of the therapy method, along with the anamnesis data and clinical and instrumental examination, the results of cytological analysis of punctates of the primary tumor node and enlarged lymph nodes as well as pathomorphological examination of the operating material (excised tumor) with the defining of the histochemical neoplasm profile.

Г.П. Дюльгер¹, П.Г. Дюльгер¹, О. Алиханов², Е.С. Латынина¹, Д.А. Баймұқанов^{3,4}

¹«Ресей мемлекеттік аграрлық университеті – К. А. Тимирязев атындағы Мәскеу аудылшаруашылық академиясы» федералдық мемлекеттік бюджеттік мекемесі, Мәскеу, Ресей;

²М. Әуезов атындағы Оңтүстік Қазақстан мемлекеттік университеті, Шымкент, Қазақстан;

³«Қазақ мал шаруашылығы және жемшөп өндірісі ғылыми-зерттеу институты» ЖШС, Алматы, Қазақстан;

⁴Қазақ ұлттық аграрлық университеті, Алматы, Қазақстан.

E mail: dulger@rgau-msha.ru

МЫСЫҚТАРДАҒЫ СҮТ БЕЗІНІЦ ІСІК ЖӘНЕ ІСІК ТӘРІЗДІ АУРУЛАРЫН ДИАГНОСТИКАЛАУДЫҢ ЗАМАНАУИ ӘДІСТЕРИ

Аннотация: Макалада мысықтардың сүт безі ісіктерінің жіктелуі мен диагнозына шолу жасалады (СБІ). Иік процесінің клиникалық кезеңі жетекші болжамды факторлардың бірі болып табылады. ДДҮ-ның 1980 жылғы ұсыныстарына сәйкес СБҚІ жүйесі бойынша анықталады: неоплазманың мөлшері, аймақтық лимфа түйіндерінің жағдайы және алыс метастаздардың болмауы.

Аурудың клиникалық кезеңін зерттеу операция және операциядан кейінгі материалды зерттеу кезінде алынған мәліметтер негізінде анықталады (кесілген ісік, резекцияның жиектері және аймақтық лимфа түйіндері). Мөлшері 3 см-ден асатын ісіктердің мөлшері 3 см-ден аз жаңа ескіндерге қарағанда нашар болжанатыны анықталады. Иік мөлшері 3 см-ден аз болған кезде операциядан кейінгі өмір сүрудің орта шамасы мөлшері 3 см-ден асатын ісікке қарағанда 1,75 есе көп (12 айға қарсы 21 ай). Болжамның маңызды морфологиялық факторы қатерлі ісіктің гистологиялық түрі және ісік тінінің гистологиялық градациясы болып табылады. Обырлардың арасында ең инвазивті болып микропаппилалы, қомақты және крибиформалы карциномалар саналады, ең озыры емеси - situ карциномасы.

Мысықтардағы сүт безі қатерлі ісігі болжамның жағымсыз факторлары-бұл Ki67 пролиферативті белсенділігінің жоғары индексі, her-2 эпидермальды өсу факторының гиперэкспрессиясы, циклооксигеназдар-2, рецепторлардың ісік жасушаларының эстрогендерге және прогестеронға дәлдігінің болмауы немесе төмен деңгейі (10-нан кем%), сондай-ақ VEGF ісік жасушалары дәлдігінің жоғары деңгейі (васкулярың әндотелиальды өсу факторы).

Түйін сөздер: мысықтар, сүт бездері, патология, сүт бездерінің ісіктері (СБІ), сүт безінің қатерлі ісігі (СБҚІ), диагностика, болжам факторлары.

Г.П. Дюльгер¹, П.Г. Дюльгер¹, О. Алиханов², Е.С. Латынина¹, Д.А. Баймұқанов^{3,4}

¹Федеральное государственное бюджетное учреждение – Высшего образования «Российский государственный аграрный университет – Московская сельскохозяйственная академия имени К.А. Тимирязева», Москва, Россия;

²Южно – Казахстанский государственный университет имени М.О. Ауэзова, Шымкент, Казахстан;

³Товарищество с ограниченной ответственностью «Казахский научно-исследовательский институт животноводства и кормопроизводства», Алматы, Казахстан;

⁴Казахский национальный аграрный университет, Алматы, Казахстан,

E mail: dulger@rgau-msha.ru

СОВРЕМЕННЫЕ МЕТОДЫ ДИАГНОСТИКИ ОПУХОЛЕВЫХ И ОПУХОЛЕПОДОБНЫХ ЗАБОЛЕВАНИЙ МОЛОЧНОЙ ЖЕЛЕЗЫ У КОШЕК

Аннотация: Проведенная научно-исследовательская работа о влиянии клинической стадии опухолевого процесса, гистологического типа опухоли, гистологической градации опухолевой ткани, а также гистохимических характеристик опухолевых клеток на курабельность и исход инвазивных форм рака молочной железы.

Клиническую стадию болезни устанавливают на основании данных, полученных во время обследования, операции и исследования послеоперационного материала (удалённой опухоли, краёв резекции и региональных лимфатических узлов). Установлено, что опухоли размером больше 3 см имеют достоверно худший прогноз, чем новообразования размером менее 3 см. Медиана послеоперационной выживаемости при размере опухоли менее 3 см в 1,75 раза больше (21 мес против 12 мес), чем при размере опухоли более 3 см. Самым важным морфологическим фактором прогноза является гистологический тип злокачественной опухоли и гистологическая градация опухолевой ткани. Среди карцином наиболее инвазивными считаются микропапиллярная, солидная и крибriформная карциномы, самой неагgressивной - карцинома *in situ*.

Наличие метастазов в региональных лимфатических узлах является отягчающим прогностическим фактором. Медиана выживаемости больных кошек при раке молочной железы составляет 5-9 мес при наличии метастазов в региональных лимфоузлах и 13-16 мес при их отсутствии. Медиана выживаемости больных отчетливо зависит также и от локализации метастазов. При локализации метастазов в региональных лимфоузлах она составляет 1543 сут, в легких и плевре - 332 и 188 сут соответственно.

Неблагоприятными факторами прогноза при раке молочной железы у кошек являются высокий индекс пролиферативной активности Ki67, гиперэкспрессия эпидермального фактора роста Her-2, циклооксигеназы-2, отсутствие или низкий уровень экспрессии опухолевыми клетками рецепторов к эстрогенам и/или прогестерону (менее 10%), а также высокий уровень экспрессии опухолевыми клетками VEGF (васкулярного эндотелиального фактора роста).

Ключевые слова: кошки, молочные железы, патология, опухоли молочных желез (ОМЖ), рак молочной железы (РМЖ), диагностика, факторы прогноза.

Information about the authors:

Dyulger Georgy Petrovich – Doctor of Veterinarian Sciences, Head of Department of Veterinary Medicine of the Russian State Agrarian University - Moscow Agricultural Academy named after K.A. Timiryazev, 49, Timiryazevskaya str., Moscow, Russia; E mail: dulger@rgau-msha.ru, tel. 8-916-148-92-17, <https://orcid.org/0000-0003-2501-1235>;

Dyulger Petr Georgiyevich – Candidate of Veterinarian Science, Senior lecturer of the department of Veterinary Medicine of the Russian State Agrarian University - Moscow Agricultural Academy named after K.A. Timiryazev, 49, Timiryazevskaya str., Moscow, Russia, E mail: peterdyulger@gmail.com, <https://orcid.org/0000-0002-6760-1762>;

Alikhanov Oralbek - Candidate of agricultural sciences, the department of veterinary medicine, «South Kazakhstan State University named after M. O. Auezov», Shymkent, Republic of Kazakhstan, E-mail:oralbekalihanov64@gmail.com, <https://orcid.org/0000-0003-2309-265X>/

Latynina Evgenia Sergeevna – postgraduate student, Assistant of the Department of Veterinary Medicine of the Russian State Agrarian University - Moscow Agricultural Academy named after K.A. Timiryazev, 49, Timiryazevskaya str., Moscow, Russia, E mail: evgenialatynina@rgau-msha.ru, <https://orcid.org/0000-0001-5145-1184>;

Baimukanov Dastanbek Asylbekovich - Corresponding Member of the National Academy of Sciences of the Republic of Kazakhstan, Doctor of Agricultural Sciences, Chief Researcher of the Department of Technology for Scientific Support of Dairy Cattle, Kazakh Scientific Research Institute of Animal Breeding and Fodder Production, 51, Zhandosov str., Almaty, Republic of Kazakhstan, E-mail: dbaimukanov@mail.ru, <https://orcid.org/0000-0002-4684-7114>.

REFERENCES

- [1] Dyulger G.P., Dyulger P.G., Alikhanov O., Sedletskaya E.S., Latynina E.S., Obukhova M.E., Leontieva I.L., Bychkov V.S., Baimukanov D.A. (2020) Epidemiology, risk factors and pathomorphological features of mammary tumors in cat Bulletin of national academy of sciences of the Republic of Kazakhstan ISSN 1991-3494 Volume 6, Number 388 (2020), 78 – 84 <https://doi.org/10.32014/2020.2518-1467.185>
- [2] Moulton J.E. (1990) Tumours of the mammary gland/In Tumours in Domestic Animals. 4th edition. Edited by Moulton JE. Los Angeles, CA: University of California Press. P.518–552.
- [3] Gimenez F., Hecht S., Craig L.E., Legendre A.M. (2010) Early detection, aggressive therapy: optimizing the management of feline mammary masses. *J. Feline Med. Surg.* Vol. 12 (3). P. 214-224 (doi: 10.1016/j.jfms.2010.01.004).
- [4] Morris J. (2013) Mammary tumours in the cat Size matter, so early intervention saves lives. *J. Feline Med. and Surgery* Vol.15 (5). P. 391-400 (doi: 10.1177/1098612X13483237).
- [5] Yakunina M.N., Golubeva V.A., Garanin D.V. (2010) Mammary cancer in dogs and cats [Rak molochnoj zhelezy u sobak i koshek]. Moscow. Publishing house Zoomedlit Kolos S. 79 p. (in Russ.).
- [6] Lisitskaya K.V., Mitrokhina N.V. (2017) Morphological diagnostic methods. Small animal oncology [Morfologicheskiye metody diagnostiki. Onkologiya melkikh domashnikh zhivotnykh]. Moscow. Publishing House Scientific Library. pp. 108 - 157. (in Russ.).
- [7] Zappulli V., Rasotto R., Caliari D. et al (2015) Prognostic evaluation of feline mammary carcinomas: a review of the literature. *Vet Pathol.* Vol.52 (1). P.46–60 (doi: 10.1177/0300985814528221\$ Corpus ID: 33693582)
- [8] MacEwen E.G., Hayes A.A., Harvey H.J. (1984) Prognostic factors for feline mammary tumours. *J. Am. Ve.t Med. Assoc.* Vol. 185. P. 201-204 (Corpus ID: 25167092).
- [9] Weijer K., Hart A.A. (1983) Prognostic factors in feline mammary carcinoma *J. Natl. Cancer Inst.* Vol.70. P.709–716 (PMID: 6572759).
- [10] Lana S.E., Rutteman G.R., Withrow S.J. (2007) Tumors of the mammary gland. In: Withrow S.W., MacEwen E.G., eds. *Small Animal Clinica lOncology*. 4th ed. St Louis, MO: Saunders Elsevier. P.619–636.
- [11] Owen LN. (1980) *TNM Classification of Tumours in Domestic Animals*. Geneva, Switzerland: World Health Organization.
- [12] Viste J.R., Myers S.L., Singh B., Simko E. (2002) Feline mammary adenocarcinoma. Tumor size as a prognostic indicator. *Can Vet J.* Vol.43(1). P.33-37 (doi: 10.1111/j.1751-0813.2002.tb11342.x).
- [13] Mills S.W., Musil K.M., Davies J.L. et al. (2015) Prognostic value of histologic grading for feline mammary carcinoma: a retrospective survival analysis. *Vet Pathol.* Vol.52. P.238– 249 (doi: 10.1177/0300985814543198).
- [14] Ito T, Kadosawa T, Mochizuki M, Matsunaga S, Nishimura R, Sasaki N. (1996) Prognosis of malignant mammary tumor in 53 cats. *J. Vet. Med. Sci.* Vol. 58. P.23–726. (doi: 10.1292/jvms.58.723).
- [15] Seixas F., Palmeira C., Pires M.A. et al. (2011) Grade is an independent prognostic factor for feline mammary carcinomas: a clinicopathological and survival analysis. *Vet J.* Vol.187. P.65–71 (doi: 10.1016/j.tvjl.2009.10.0300).
- [16] Novosad C. A., Bergman P.J., O'Brien M.G. et al. (2006) Retrospective evaluation of adjunctive doxorubicin for the treatment of feline mammary gland adenocarcinoma: 67 cases. *J. Amer. Anim. Hosp. Assoc.* Vol.42 (2). P.110-120 (doi: 10.5326/0420110).
- [17] Cassali G.D., De Campos C.B., Bertagnolli A.C. et al.(2018) Consensus for the diagnosis, prognosis and treatment of feline mammary tumors. *Braz. J. Vet. Res. Anim. Sci.*, São Paulo. Vol. 55. .2. P.1-17 (doi: 10.11606/issn.1678-4456.bjvras.2018.135084).
- [18] Elston C.W., Ellis I.O. (1991) Pathological prognostic factors in breast cancer. I. The value of histological grade in breast cancer: experience from a large study with long-term follow-up. *Histopathology*. Vol.19. P.403–410 (DOI: 10.4236/abcr.2013.22004).
- [19] Elston C.W., Ellis I.O., Pinder S.E. (1998) Prognostic factors in invasive carcinoma of the breast. *Clin. Oncol.* Vol.10. P.14–17.
- [20] Preziosi R., Sarli G., Benazzi et al. (2002) Multiparametric survival analysis of histological stage and proliferative activity in feline mammary carcinomas. *Res Vet Sci.* Vol.73. P.53–60 (doi: 10.1016/s0034-5288(02)00042-5).
- [21] Chocteau F., Boulay M.-M., Besnard F. et al. (2019) Proposal for a Histological Staging System of Mammary Carcinomas in Dogs and Cats. Part 2: Feline Mammary Carcinomas. *Front. Vet. Sci.* Vol. 6. P.387 (doi: 10.3389/fvets.2019.003870).
- [22] Sorenmo K.; Worley D., Goldschmidt M. (2013) Tumors of the mammary gland/ In:Withrow & MacEwen's Small Animal Clinical Oncology, 5th ed.; Withrow, S.; Vail, D.; Page, R., Eds. Saunders Elsevier. St. Louis, Missouri, P.548-556.
- [23] Borrego J.F., Cartagena J.C., Engel J. (2009) Treatment of feline mammary tumors using chemotherapy,

surgery and a COX-2 inhibitor drug (meloxicam): a retrospective study of 23 cases (2002–2007). *Vet. Comp. Oncol.* Vol.7. P.213–221 (doi:10.1111/j.1476-5829.2009.00194.x).

[24] Millanta F., Calandrella M, Citi S, et al. (2005) Overexpression of HER-2 in feline invasive mammary carcinomas: an immunohistochemical survey and evaluation of its prognostic potential. *Vet. Pathol.* Vol.42. P.30–34 (doi: 10.1354/vp.42-1-30).

[25] Millanta F., Silvestri G., Vannozzi C. et al./ (2006) The role of vascular endothelial growth factor and its receptor Flk 1/KDR in promoting tumour angiogenesis in feline and canine mammary carcinomas: a preliminary study of autocrine and paracrine loops. *Vet. Sci.* Vol.81. P.350–357 (doi: 10.1016/j.rvsc.2006.01.007).

[26] Millanta F., Citi S., Della Santa D. (2006) COX-2 expression in canine and feline invasive mammary carcinomas: correlation with clinicopathological features and prognostic molecular markers *Breast Cancer Res Treat.* Vol.98. P.115–120 (doi:10.1007/s10549-005-9138-z; Corpus ID: 24458199)

[27] Millanta F., G. Lazzeri, I. Vannozzi et al. (2002) Correlation of vascular endothelial growth factor expression to overall survival in feline invasive mammary carcinomas. *Vet Pathol.* 2002. Vol.39. P.690–696 (doi: 10.1354/vp.39-6-690).

МАЗМҰНЫ**Экономика – Экономика - Economics**

Абиева С.Н., Kurmantaeva A.Zh. Temirova Zh.Zh. ИНВЕСТИЦИЯЛЫҚ КЛИМАТ-ШЕТЕЛДІК ИНВЕСТИЦИЯЛАРДЫ ТАРТУ ҮШІН ҚАЖЕТТИ ШАРТ.....	6
Azimkhan A., Sartova R.B., Bakpayeva A.K. ANALYSIS OF THE CURRENT CONDITION OF SMALL AND MEDIUM-SIZED BUSINESSES IN THE REPUBLIC OF KAZAKHSTAN.....	14
Bielova I., Bukhtiarova A., Taraniuk L., D'yakonova I., Pakhnenko O. ENVIRONMENTAL QUALITY AS A FACTOR OF INFLUENCE ON MORTALITY FROM COVID-19.....	19
Bekbusinova G.K., Baymbetova A.B., Meldebekova A.D., Zhakhmetova A.K. COMPARATIVE ANALYSIS OF INTERACTION OF THE NATIONAL FINANCIAL AND CREDIT SYSTEMS OF THE EAEU COUNTRIES.....	27
Dyulger G.P., Dyulger P.G., Alikhanov O., Latynina E.S., Baimukanov D.A. MODERN METHODS OF DIAGNOSIS OF MAMMARY TUMOR AND TUMOR-LIKE LESIONS IN CATS.....	33
Gerasymchuk N.A., Stepasyuk L.M., Titenko Z.M., Yermolenko I. M. MARKET COMPETITION AT THE LEVEL OF AGRICULTURAL PRODUCTS DISTRIBUTION.....	40
Hutorov A., Gutorov O., Krasnorutskyy O., Groshev S., Yermolenko O. SMART-SPECIALIZATION DEVELOPMENT OF FARMS.....	45
Zhakupov Y., Berzhanova A. EVALUATION OF THE DEVELOPMENT OF SMALL AND MEDIUM-SIZED ENTREPRENEURSHIP IN THE REPUBLIC OF KAZAKHSTAN.....	53
Kazbekova L., Utegenova K., Bekesheva D., Akhmetova A., Kultanova N. APPROACHES TO THE ASSESSMNET OF CORPORATE MANAGEMENT EFFECTIVENESS.....	58
Kenzhegaliyeva Z. Zh., Mussayeva A.A., Igaliyeva L.N. ANALYSIS OF HOUSING AND UTILITIES SECTOR ACTIVITIES IN ENSURING ENVIRONMENTAL SAFETY IN ATYRAU.....	65
Kovalenko V., Sheludko S., Sergeeva O., Kyriazova T., Yesina O. CREDIT SUPPORT FOR AGRICULTURAL DEVELOPMENT: COMPARATIVE CHARACTERISTICS OF UKRAINE AND KAZAKHSTAN.....	72
Mukina G.S., Sultanova Z.Kh., Aiguzhinova D.Z., Amerxanova A.Kh., Kenzhin Zh.B. PREDICTIVE ASSESSMENT OF THE NECESSITY FOR HUMAN RESOURCES IN THE REGIONS.....	81
Mukhamedkhanova A. B., Tulemetova A. S., Zhurynov G.M. INTERACTION BETWEEN INNOVATION FORESIGHT AND ENSURING THE COMPETITIVENESS OF BUSINESS STRUCTURES.....	86
Maisigova L.A., Serikova M.A., Moldashbayeva L.P., Zhumatayeva B.A., Varaksa N.G. EDUCATION PERFORMANCE AUDIT.....	92

Nurzhanova A., Niyazbekova Sh., Issayeva B., Kamyshova A., Popova E. MECHANISMS FOR REDUCING ECONOMIC RISKS IN THE DEVELOPMENT OF SMALL AND MEDIUM BUSINESSES OF THE REPUBLIC OF KAZAKHSTAN.....	99
Sartova S.B., Nurbayeva G.E., Bayandina G.D., Khasenova S.M. MODERN APPROACHES TO THE ASSESSMENT OF HUMAN RESOURCES AS THE MAIN FACTOR OF REGIONAL COMPETITIVENESS.....	104
Semenov V.G., Baimukanov A.D., Alentayev A.S., Mudarisov R.M., Karynbayev A.K. DAIRY PRODUCTIVITY OF HOLSTEIN COWS OF DIFFERENT BREEDINGS UNDER THE CONDITIONS OF COMMERCIAL DAIRY FARMS.....	110
Sembiyeva L.M., Zhagyparova A.O., Tulegenova Zh.U., Orynbekova G.A., Vasyl Derii. DISTINCTIVE FEATURES OF ORGANIZATION OF STATE AUDIT TYPES.....	116
Shamuratova N.B., Baitilenova Y.S., Narenova A.N., Nazikova Zh.A., Kamerova A.A. COMPARATIVE ANALYSIS OF BIOFUELS WITH A FEEDSTOCK FUEL COMPLEX.....	122
Shamshudinova G.T., Altybassarova M.A., Akhmejanova G.B., Turlybekova A.M., Aitzhanova D.N. THE POPULATION CENSUS AS A LARGE-SCALE AND MULTI-PURPOSE SOURCE OF THE STATE INFORMATION.....	128
Zakharkin O.O., Hrytsenko L.L., Zakharkina L.S., Myroshnychenko Iu.O. COMPARATIVE ANALYSIS OF RETURN AND VOLATILITY OF THE KAZAKH AND UKRAINIAN STOCK MARKET SUBJECT TO THE INVESTMENT TIME HORIZON.....	133

Құқықтану - Юриспруденция - Law

Arabaev Ch.I., Ryskulov Sh.D., Zhylkicheva K.S. ROLE AND SIGNIFICANCE OF INCOME OF PUBLIC INSTITUTIONS IN CIVIL AND BUDGETARY LEGISLATION OF THE KYRGYZ REPUBLIC.....	139
Altybaeva A.T. CONTROL FUNCTION OF PARLIAMENT AND PRINCIPLE OF DIVISION OF POWERS.....	148
Akhmejanova G.B., Mussabekova N.M., Voronova T.E., Shamshudinova G.T., Avilkhan A. RELATIONS BETWEEN THE STATE AND RELIGIOUS ASSOCIATIONS IN THE REPUBLIC OF KAZAKHSTAN: CONSTITUTIONAL AND LEGAL ASPECTS.....	153
Plotskaya O. A., COMMON LAW IN MEDIEVAL HUNGARIAN SOURCES.....	159
Yakhyaev M.Y. CONDITIONS FOR THE OCCURRENCE OF OBLIGATIONS TO COMPENSATE FOR DAMAGE CAUSED BY LAWFUL ACTIONS OF STATE BODIES, AS WELL AS THEIR OFFICIALS.....	165

Педагогика – Педагогика - Pedagogy

Anzorova S., Madiyarova D., Zubets A., Zhumadilova G., Alieva S., Tlessova E. INTEGRATION OF DIGITAL AND PEDAGOGICAL TECHNOLOGIES IN THE PROCESS OF TEACHING STUDENTS OF SOCIO-ECONOMIC AND PEDAGOGICAL AREAS OF TRAINING.....	170
Kondratska L.A., Romanovska L.I., Natsiuk M.B., Dovgan O.Z., Kravchyna T.V. CURRENT PROJECTS OF EDUCATIONAL DOMAIN: FROM MASK EXPANSION TO LIVE BREATHING.....	176

Yunusov A.A., Zhokhov A.L., Yunusova A.A., Suleimenova G., Zhumadullayev D.K. DIALOGUE OF CULTURES AS A TOOL OF THE MODERN PROFESSIONAL OF PEDAGOGICAL PROFILE.....	184
---	-----

Филология – Филология - Philology

Bazarbayeva Z.M., Chukayeva T.K. FOLKLORIC DISCOURSE AS AN OBJECT OF PHILOLOGICAL RESEARCH.....	190
Жеменей И., Батырхан Б.Ш. САФДИ МЕН АБАЙДЫҢ РУХАНИ САБАҚТАСТЫҒЫ.....	196
Rahimbekova G.O., Жумадиллаева О.А. ISSUES OF TEACHING STUDENTS OF NON-LINGUISTIC UNIVERSITIES A PROFESSIONALLY-ORIENTED FOREIGN LANGUAGE.....	203
Omarova A.K., Kaztuganova A.Zh., Turmagambetova B., Tursunova G. KAZAKH ELITE AND MUSIC (1920-1930).....	208
Оразалиева Э. Н. ТІЛ КӨРНЕКІЛІГІ – ӨЗГЕШЕ ТАНЫМ ӘЛЕМІ.....	214

Тарих – История - History

Терещенко В.М. НЕБО НОМАДОВ ВЕЛИКОЙ СТЕПИ.....	222
---	-----

Саясаттану – Политология – Political science

Altybassarova M.A., Moldabayeva S.K., Rakhmetova D.A. THE MAIN PREREQUISITES FOR THE EMERGENCE AND SPREAD OF EXTREMISM IN THE MODERN SOCIETY.....	230
Assanbayev M.B., Kilybayev T. MOVING TO A BIG CITY: INTERNAL MIGRATION PATTERNS IN KAZAKHSTAN.....	235

**Publication Ethics and Publication Malpractice
in the journals of the National Academy of Sciences of the Republic of Kazakhstan**

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайте:

[www:nauka–nanrk.kz](http://www.nauka-nanrk.kz)

ISSN 2518–1467 (Online), ISSN 1991–3494 (Print)

<http://www.bulletin-science.kz/index.php/en/>

Редакторы *M.C. Ахметова, Д.С. Аленов, Р.Ж. Мрзабаева*

Верстка на компьютере *B.C. Зикирбаева*

Подписано в печать 12.06.2021.

Формат 60x881/8. Бумага офсетная. Печать – ризограф.

22, 25 п.л. Тираж 300. Заказ 3.